



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005592203

Filing Deadline: January 15, 2013

FRN: 0004255303

Filing Date: 01/07/2013 03:09 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Farmers Mutual Telephone Company

Brand Names: <NA>

PO Box:

Street Address: 319 SW 3RD ST

City: FRUITLAND

State: ID

Zip Code: 83619

Contact Name: SHAY ROBERTSON

Contact Phone: (208) 452-2000

Contact Fax:

Contact Email: SHAY@FMTC.COM

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: FMTC.COM

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: ALL HAC INFORMATION IS AVAILABLE ON OUR WEBSITE, AND ALSO PHONE PACKAGING.

Methodology for Functionality Levels

BASED ON MANUFACTURES DATA

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 29

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
CDMA	26	90%	3	10%				29

Handset 1: LG VX11000

Handset Maker

LG

Handset Model Name

VX11000

FCC ID

BEJVBX11000

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY HAC COMPATIBLE

Remarks

Handset 2: LG LX260**Handset Maker**

LG

Handset Model Name

LX260

FCC ID

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY HAC COMPATIBLE

Remarks

Handset 3: Motorola VE20

Handset Maker

Motorola

Handset Model Name

VE20

FCC ID

IHDT56JM1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY HAC COMPATIBLE

Remarks

Handset 4: Samsung SCH-U340

Handset Maker

Samsung

Handset Model Name

SCH-U340

FCC ID

A3LSCHU340

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 5: Motorola QA30**Handset Maker**

Motorola

Handset Model Name**FCC ID**

QA30

IHDT56JX1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 6: Motorola V3

Handset Maker

Motorola

Handset Model Name

FCC ID

V3

IHDT56EU1, IHDT56EU2, IHDT56EU3, IHDT56GN1, IHDT56HJ1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 7: Samsung SCH-R500

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R500

A3LSCHR500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 8: Motorola QA4**Handset Maker**

Motorola

Handset Model Name

QA4

FCC ID

IHDT56JW1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 9: HTC ADR 6275

Handset Maker

HTC

Handset Model Name

ADR 6275

FCC ID

NM8PB99400

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 10: Motorola Q9

Handset Maker

Motorola

Handset Model Name

Q9

FCC ID

IHDT56HS1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks**Handset 11: Motorola W840 Quantico****Handset Maker**

Motorola

Handset Model Name**FCC ID**

W840 Quantico

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 12: Samsung R720 Admire

Handset Maker

Samsung

Handset Model Name

R720 Admire

FCC ID

A3LSPHD720

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 13: Samsung R580 Profile

Handset Maker

Samsung

Handset Model Name

R580 Profile

FCC ID

A3LSCHR580

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 14: Motorola Droid X**Handset Maker**

Motorola

Handset Model Name**FCC ID**

Droid X

IHDT56CB1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 15: Motorola Droid 2

Handset Maker

Motorola

Handset Model Name

Droid 2

FCC ID

IHDP56KC1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 16: Motorola Milestone Android

Handset Maker

Motorola

Handset Model Name

Milestone Android

FCC ID

IHDP56KC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks**Handset 17: Casio Hitachi Rock C731****Handset Maker**

Casio Hitachi

Handset Model Name**FCC ID**

Rock C731

TYKNX9270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 18: Casio Hitachi Brigatde C741

Handset Maker

Casio Hitachi

Handset Model Name

Brigatde C741

FCC ID

TYKNX9290

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 19: Apple iPhone 4 (A1349)

Handset Maker

Apple

Handset Model Name

iPhone 4 (A1349)

FCC ID

BCG-E2422B

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 20: Research In Motion Limited Blackberry 9330**Handset Maker**

Research In Motion Limited

Handset Model Name FCC ID

Blackberry 9330 L6ARCL20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 21: Palm Pixi Plus-E

Handset Maker

Palm

Handset Model Name

Pixi Plus-E

FCC ID

O8F-PIXEW

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 22: NEC CASIO C771

Handset Maker

NEC CASIO

Handset Model Name

C771

FCC ID

TYKNX9320

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 23: Samsung i100 Gem**Handset Maker**

Samsung

Handset Model Name**FCC ID**

i100 Gem

A3LSCHI100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 24: Motorola Milestone x2

Handset Maker

Motorola

Handset Model Name

Milestone x2

FCC ID

IHDT56MJ1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 25: Motorola DROID 3

Handset Maker

Motorola

Handset Model Name

DROID 3

FCC ID

IHDT56MF1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks**Handset 26: Samsung Brightside****Handset Maker**

Samsung

Handset Model Name**FCC ID**

Brightside

A3LSCHU380

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 27: Motorola WX445 CITRUS

Handset Maker

Motorola

Handset Model Name

WX445 CITRUS

FCC ID

IHDP56LF1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 28: Sony Ericsson Xperia X10 Sony Ericsson Xperia

Handset Maker

Sony Ericsson Xperia X10

Handset Model Name

Sony Ericsson Xperia

FCC ID

PY7A3880088

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Handset 29: LG 700**Handset Maker**

LG

Handset Model Name**FCC ID**

700

BEJVS700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

VERY TELE-COIL COMPATIBLE

Remarks

Certification

This Report has been certified by:

SHAY ROBERTSON MR. CUSTOMER SERVICE SUPERVISOR
01/07/2013 03:09 PM